

900 SERIES
EDITION 6/2026

STANLEY®

WALL TILES

Technical Datasheet




Property	Declared value
Product category	SPC Wall Tiles
Applicable series	900 Series
Installation method	Adhesive bonded wall installation
Joint system	Tongue & Groove
Surface treatment	Supreme Guard UV Coating
Surface texture	Coralline Surface
Key product claims	Easy to Clean / Wear Resistance / Waterproof
Warranty	7 Years Residential / 3 Years Commercial

GENERAL SPECIFICATIONS

Characteristic	Standard / reference	Declared value
Size	Product specification	400 x 800 x 4.0 mm
Total thickness	Product specification	4.0 mm
Wear layer thickness	EN ISO 24340	0.15 mm
Pieces per box	Packaging specification	7 pcs
Coverage per box	Packaging specification	2.24 m ² /box
Gross weight per box	ISO 23997	18.77 kg
Surface treatment	Product specification	Supreme Guard UV Coating
Surface texture	Product specification	Coralline Surface
Joint	Product specification	Tongue & Groove
Installation method	Installation guide	Adhesive bonded installation on suitable interior wall surfaces
Grouting	Installation guide	No grout required
Core material	Product specification	SPC Core (Stone Plastic Composite)
Use	Product specification	Interior wall applications
Warranty period	STANLEY Wall Tiles Warranty Conditions	7 Years Residential / 3 Years Commercial

STRUCTURE



SUPREME GUARD UV COATING

WEAR-RESISTANT LAYER

DECORATIVE STONE FILM

SPC CORE (STONE PLASTIC COMPOSITE)

TOTAL BUILD UP **4 mm**

TECHNICAL PERFORMANCE

Characteristic	Test standard	Declared value
Product reference standard	EN 13245-2:2009	Compliant
Reaction to fire	EN 13501-1	C-s2,d0
Water resistance	Product specification	Waterproof
Easy cleaning / stain resistance	EN ISO 26987 / EN 438-2	Pass / Grade 5
Wear resistance / abrasion resistance	EN 15468	$\geq 3,000$ cycles
Micro-scratch resistance	EN 16094	MSR-A2
Scratch resistance	EN 438-2	Class 4 / 5.5 N
Impact resistance	EN 13245-1	Pass
Light fastness	EN ISO 105-B02	≥ 6
Dimensional stability	EN ISO 23999	$\leq 0.10\%$ - Pass
Formaldehyde emission	EN 717-1	E1 / Compliant

PACKAGING AND LOGISTICS

Characteristic	Declared value
Pieces per box	7 pcs
Coverage per box	2.24 m ² /box
Gross weight per box	18.77 kg
Cartons per pallet	45 cartons
Pallet configuration	3 cartons per layer x 15 layers
Coverage per pallet	100.80 m ² /pallet
Gross pallet weight	Approx. 884.56 kg

CERTIFICATES AND COMPLIANCE

Item	Standard / regulation	Declared status
CE marking	EN 13245-2:2009	Compliant
Indoor air emissions	French VOC Regulation	A+
Environmental Product Declaration	ISO 14025 / EN 15804+A2	EPD
REACH / phthalates	Regulation (EC) No. 1907/2006	Compliant / Phthalate Free
Quality management	ISO 9001:2015	Certified management system
Environmental management	ISO 14001:2015	Certified management system
Occupational health and safety	ISO 45001:2018	Certified management system

LEGAL NOTICE

STANLEY® and the STANLEY logo are registered trademarks of Stanley Black & Decker, Inc. and are used under licence. All rights reserved. Imported and distributed by Area Floors, Kiezel Kleine Broegel 57, 3990 Peer, Belgium. Made in PRC. For customer services please contact 2helpu.com. Warranty is valid only when installed in accordance with STANLEY Wall Tiles Installation Instructions. Specifications and designs may change without prior notice.



EN 14041:2004/AC2006



9001:2015
14001:2015
45001:2018



Phthalate Free



INTERNATIONAL EPD SYSTEM



SCAN THE QR CODE FOR
INSTALLATION &
USER GUIDES